création baumann

ALU NET

Glare and heat protection; The graceful mesh fabric with its aluminium metallised reverse combines progress and technology. It combines great transparency with optimal reflection values. Gleaming yarns and contemporary tones such as brass, copper and silver, lend this soft draping fabric a metal mesh effect.











Use: Glare & heat protection

Number of colours: 7

Special colours: - from 300 m / 330 yds without surcharge.

Material: 100% Flameretardant polyester

Fabric width: 290 cm/114 inch/3.17 yard

Can be railroaded: Must not be railroaded

Weight: 116 g/m²

Flame-retardant properties:

Additional use:

Care:

Dry cleaning (length shrinkage): 1%

Light fastness: 7

Certificates / tests:

*all testing reports can be downloaded from our website under product details

Special notes:

Fire Test DIN 4102 B1 Fire Test Norm BS 5867 Light transmission DIN EN 410 Special notes

Transmission values in overview

- Light transmission degree: 39 - 52%

- Light reflection degree: 26 42%
- Please note that the white colour 101 does not have a metallised reverse and therefore possesses different light and solar values.



création baumann

ALU NET













Col. 0107

SYMBOLS AND PRODUCT INFORMATION

| Product information | | Material information |
|---|--|--|
| Inherently flame retardant | Free from harmful substances / Oddy | AC Acetate |
| | | CA Hemp |
| Width (cm) | Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.) | CO Cotton |
| | | EA Elasthan |
| Can be railroaded (only valid for curtains) | ⇒ light transmission level Tv, n-h | GL Glass fibre |
| Has to be railroaded | light transmission level Tv. n-nn | LI Linen |
| | | MD Modal |
| Must not be railroaded | ⇒ k light transmission level Tv, n-dif | ME Metal |
| | | PA Polyamide |
| Repeat in warp direction | light reflection level Pv, n-h | PC Acrylic |
| | | PE Polyethylene |
| Repeat in weft direction | light absorption level Av | PI Paper |
| Weight (g/m2) | UV transmission level Tuv | PL Polyester |
| | | PLF Flameretardant polyester |
| Yarn dyed | solar transmission level Te, n-h | PLF CS Flameretardant polyester (Trevira CS) |
| | | PN Polycarbonat |
| Piece dyed | solar reflection level Pe, n-h | PP Polypropylene |
| | | PU Polyurethan |
| Knitted | solar absorption level Ae | RA Ramie |
| | | SE Silk |
| Woven | Usable in a bathroom/wet room (Plissee) | SI Silicone |
| | | TR Different material (wood, paper, feathers etc.) |
| Warp print | Stain resistant (Plissee) | VI Viscose |
| Screen print/burnout | Various articles are only available in complete picture repeats. The price is quoted per repeat in each case. | WM Wool Mohair |
| | | wv Wool |
| Metalized on one side | Additional product information | |
| Pearl reflex | | |

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

| Fabrics with very high lightfastness for indoor and outdoor | use |
|---|-----|
| Blackout BO | |
| Reverso | |
| Plisseé | |
| Comb plisseé | |
| | |