

# CALVARO

Upholstery and heavy curtain fabric in Trevira CS; Vigorous brushing of the mottled quality to both sides results in fabric that looks like a classic wool cloth but that is flame retardant. Calvaro is ideal for applications in the contract sector.







etardant. Calvaro is ideal for applications in the contract sector.		
Use:	Upholstery fabric	
Number of colours:	20	
Special colours:	- from 200 m / 220 yds without surcharge.	
Material:	100% Flameretardant polyester (Trevira CS)	
Fabric width:	140 cm/55 inch/1.53 yard	
Weight:	364 g/m²	
Flame-retardant properties:	×	
Additional use:	AU 📑 🚬 💐 📲	
Care:	₩ X X Z @	
Washing (length shrinkage):	1%	
Washing (length shrinkage): Dry cleaning (length shrinkage		
Dry cleaning (length shrinkage	): 1.5%	
Dry cleaning (length shrinkage Sound absorption:	<b>):</b> 1.5% Alpha value 0.75	
Dry cleaning (length shrinkage Sound absorption: Abrasion resistance:	): 1.5% Alpha value 0.75 10'000 Martindale	
Dry cleaning (length shrinkage Sound absorption: Abrasion resistance: Pilling:	): 1.5% Alpha value 0.75 10'000 Martindale 3-4	



## 6réation baumann

### CALVARO

Col. 0301	Col. 0302	Col. 0303	Col. 0304	Col. 0305	Col. 0306
Col. 0307	Col. 0308	Col. 0309	Col. 0310	Col. 0311	Col. 0312
			- 36		
Col. 0313	Col. 0314	Col. 0315	Col. 0316	Col. 0317	Col. 0318

Col. 0319

Col. 0320

### SYMBOLS AND PRODUCT INFORMATION

#### Product information

Inherently flame retardant	Free from harmful substances / Oddy		Acetate
		CA	Hemp
←→ Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO (	Cotton
		EA	Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL	Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI	Linen
		MD	Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME	Metal
		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC /	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI I	Paper
		PL I	Polyester
Weight (g/m2)	⇔ UV transmission level Tuv	PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
	solar transmission level Te, n-h	PN I	Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP I	Polypropylene
		PU	Polyurethan
Knitted	solar absorption level Ae	RA	Ramie
	<u> </u>	SE S	Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI S	Silicone
		TR	Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI	Viscose
	Various articles are only available in complete picture repeats.	WM	Wool Mohair
Screen print/burnout	The price is quoted per repeat in each case.	wv	Wool
Metalized on one side	Additional product information		
Pearl reflex			

Material information

### SYMBOLS AND PRODUCT INFORMATION

#### Intended purposes

Curtains/Sheers	
Roller blinds (colours see separate roller blind collection)	BO Blackout
Panels (process the panels in warp direction to get optimal hang properties)	Reverso
Vertical blinds	Plisseé
Roman blinds	Comb plisseé
Upholstery (for heavy use in contract application). Martindale > 30'000	
Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000	
Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000	
Loose cover for careful use in domestic application. Martindale < 5'000	
Bedspreads	
Table cloth domestic use	
Wallcovering	
Textile wallpaper (can be paper backed, minimum quantity)	
Cushion	
Acoustical fabrics	
Adhesive Textiles/Gecko/Gecko in the Box	