


# LEVEL R

Roller blind fabric; A completely new semi-transparent textile with a modern technology inspired design. Irregular stripes run across the width of the roller blind to generate dense and semi transparent areas in the fabric. Available in four neutral colours.







CO<sub>2</sub>

se:	Roller blinds
umber of colours:	4
pecial colours:	- from 240 m / 260 yds without surcharge.
Naterial:	100% Flameretardant polyester (Trevira CS)
abric width:	300 cm/118 inch/3.28 yard
Nax. width of the system:	290 cm/114 inch/3.17 yard
Nax. height of the system:	400 cm/157 inch/4.37 yard
attern repeat:	Width: 300.0 cm/118 inch/3.28 yard Height: 114.0 cm/45 inch/1.25 yard
/eight:	80 g/m²
lame-retardant properties:	X
dditional use:	
are:	Due to material- and fabric technological properties cleaning is not recommended

Light fastness:

Certificates / tests:

\*all testing reports can be downloaded from our website under product details

5-6

Fire Test DIN 4102 B1 Fire Test Japan





## LEVEL R



Col. 7012

Col. 7013

Col. 7014

## SYMBOLS AND PRODUCT INFORMATION

#### Product information

Inherently flame retardant	Free from harmful substances / Oddy	AC /	Acetate
		CA	Hemp
←→ Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO (	Cotton
		EA	Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL	Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI	Linen
		MD	Modal
Must not be railroaded	light transmission level Tv, n-dif	ME	Metal
	⇒ K light transmission level Tv, n-dif	PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC /	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI I	Paper
		PL I	Polyester
Weight (g/m2)	UV transmission level Tuv	PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
		PN I	Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP I	Polypropylene
		PU	Polyurethan
Knitted	solar absorption level Ae	RA	Ramie
	Solar absorption level Ae	SE S	Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI S	Silicone
		TR	Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI	Viscose
	Various articles are only available in complete picture repeats.	WM	Wool Mohair
Screen print/burnout	The price is quoted per repeat in each case.	wv	Wool
Metalized on one side	Additional product information		
Pearl reflex			

Material information

## SYMBOLS AND PRODUCT INFORMATION

#### Intended purposes

Curtains/Sheers	
Roller blinds (colours see separate roller blind collection)	BO Blackout
Panels (process the panels in warp direction to get optimal hang properties)	Reverso
Vertical blinds	Plisseé
Roman blinds	Comb plisseé
Upholstery (for heavy use in contract application). Martindale > 30'000	
Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000	
Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000	
Loose cover for careful use in domestic application. Martindale < 5'000	
Bedspreads	
Table cloth domestic use	
Wallcovering	
Textile wallpaper (can be paper backed, minimum quantity)	
Cushion	
Acoustical fabrics	
Adhesive Textiles/Gecko/Gecko in the Box	