


OSCURANUOVO

Blackout fabric; The coated, flame-retardant blackout fabric with the velvety soft surface captivates with excellent care properties and a comprehensive contemporary colour palette. Using digital printing a delicately grainy multi-dimensional colour depth is printed on the surface, which depending on the angle of light lends the uni effect a subtle shimmer. The colour palette is casual and elegant. It offers a broad range of options for residential and contract sector furnishing.





CO₂

Use:	Dim-out fabric			
Number of colours:	24			
Special colours:	- from 150 m / 160 yds without surcharge.			
Material:	72% Acrylic 28% Polyester			
Fabric width:	290 cm/114 inch/3.17 yard			
Can be railroaded:	Can be railroaded			
Weight:	300 g/m ²			
Flame-retardant properties:	X			
Additional use:	ВО			
Care:	$\underline{\widetilde{\mathbb{W}}} \boxtimes \boxtimes \underline{\mathbb{W}} \boxtimes \underline{\mathbb{W}}$			
Washing (length shrinkage):	0.5%			
Dry cleaning (length shrinkage): 1%				
Light fastness:	5			
Certificates / tests:	Fire Test EN 13773 Fire Test Italy			
*all testing reports can be downloaded from our website under product details	Special notes			
Special notes:	 The printed side is the facing side. Due to technical procedures colour differences can arise on the coated reverse. 			



6réation baumann

OSCURANUOVO

Col. 0601	Col. 0602	Col. 0603	Col. 0604	Col. 0605	Col. 0606
Col. 0607	Col. 0608	Col. 0609	Col. 0610	Col. 0611	Col. 0612
Col. 0613	Col. 0614	Col. 0615	Col. 0616	Col. 0617	Col. 0618
Col. 0619	Cal. 0620	Col. 0621	Col. 0622	Cal. 0623	Cal 0624
Col. 0619	Col. 0620	Col. 0621	COI. 0622	Col. 0623	Col. 0624

SYMBOLS AND PRODUCT INFORMATION

Product information

Inherently flame retardant	Free from harmful substances / Oddy		Acetate
		CA	Hemp
←→ Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO (Cotton
		EA	Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL	Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI	Linen
	light transmission level Tv. n-nn	MD	Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME	Metal
		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC /	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI I	Paper
Weight (g/m2)		PL I	Polyester
	UV transmission level Tuv	PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
	solar transmission level Te, n-h	PN I	Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP I	Polypropylene
		PU	Polyurethan
Knitted	solar absorption level Ae	RA	Ramie
	<u> </u>	SE S	Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI S	Silicone
		TR	Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI	Viscose
	Various articles are only available in complete picture repeats.	WM	Wool Mohair
Screen print/burnout	The price is quoted per repeat in each case.	wv	Wool
Metalized on one side	Additional product information		
Pearl reflex			

Material information

SYMBOLS AND PRODUCT INFORMATION

Intended purposes

Curtains/Sheers	
Roller blinds (colours see separate roller blind collection)	BO Blackout
Panels (process the panels in warp direction to get optimal hang properties)	Reverso
Vertical blinds	Plisseé
Roman blinds	Comb plisseé
Upholstery (for heavy use in contract application). Martindale > 30'000	
Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000	
Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000	
Loose cover for careful use in domestic application. Martindale < 5'000	
Bedspreads	
Table cloth domestic use	
Wallcovering	
Textile wallpaper (can be paper backed, minimum quantity)	
Cushion	
Acoustical fabrics	
Adhesive Textiles/Gecko/Gecko in the Box	