## création baumann

#### PHANTOM PLUS II

Dim-out fabric in a width of 310 cm. Classic, double sided satin weave with an understated matt sheen. The soft and fluid dim-out which handles and feels pleasant to touch whilst being easy to process. It captivates with a timeless and elegant look. The comprehensive colour palette includes a large number of neutral shades as well as elegant, muted tones.



Use:

Special colours:

Dim-out fabric

Number of colours:

30

- from 250 m / 270 yds without surcharge.

Material:

100% Flameretardant polyester

Fabric width:

310 cm/122 inch/3.39 yard

Can be railroaded:

Additional use:

Can be railroaded

Weight:

202 g/m<sup>2</sup>

Flame-retardant properties:









Care:









Washing (length shrinkage):

Dry cleaning (length shrinkage): 1%

Sound absorption:

Alpha value 0.60

Light fastness:



\*all testing reports can be downloaded from our website under product details

Fire Test DIN 4102 B1 Brenntest SNV 198898 Fire Test Japan Fire Test M1

Fire Test NFPA 701 Fire Test Norm BS 5867 Light transmission

Sound absorption ISO 354 / ISO 11654

Flow resistance DIN EN 29053

Special notes:

- The colours are grouped into three groups in accordance with the degree they cut out incoming light: light, regular and dark.

- Phantom Dark which offers a more intense dim-out effect is an addition to Phantom Plus







# création baumann

## PHANTOM PLUS II



Col. 0371

#### SYMBOLS AND PRODUCT INFORMATION

Product information		Material information
Inherently flame retardant	Free from harmful substances / Oddy	AC Acetate
		CA Hemp
Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO Cotton
		<b>EA</b> Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI Linen
		MD Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME Metal
		PA Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC Acrylic
		PE Polyethylene
Repeat in weft direction	light absorption level Av	PI Paper
Weight (g/m2)	UV transmission level Tuv	PL Polyester
		PLF Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS Flameretardant polyester (Trevira CS)
		PN Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP Polypropylene
		PU Polyurethan
Knitted	solar absorption level Ae	RA Ramie
		SE Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI Silicone
		TR Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI Viscose
Screen print/burnout	Various articles are only available in complete picture repeats.  The price is quoted per repeat in each case.	WM Wool Mohair
		wv Wool
Metalized on one side	Additional product information	
Pearl reflex		

#### SYMBOLS AND PRODUCT INFORMATION

#### Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

Fabrics with very high lightfastness for indoor and outdoor	use
Blackout BO	
Reverso	
Plisseé	
Comb plisseé	