création baumann

TWICE

Dense curtain fabric; The reversible, high quality satin flirts deliberately with its two-sided appeal. Irrespective of whether the delicately textured linen or the refined matt sheen is in play, Twice promotes playful interplay and makes a successful entrance in interiors. Linen – with its characteristic expression – lends the item a natural and subtly different consistency. Twice is available in 14 colour settings: classic neutral tones are brought up to date with petrol-green, salmon and rust red



Use: Dense curtain fabric

Number of colours: 14

Special colours: - from 300 m / 330 yds without surcharge.

Material: 43% Linen 35% Polyester

22% Cotton

Fabric width: 325 cm/128 inch/3.55 yard

Can be railroaded: Can be railroaded

Weight: 160 g/m²

Additional use:

Care: (30) (24) (25) (25)

Washing (length shrinkage): 1.5%

Dry cleaning (length shrinkage): 1%

Light fastness: 4-5





création baumann

TWICE



SYMBOLS AND PRODUCT INFORMATION

| Product information | | Material information |
|---|--|--|
| Inherently flame retardant | Free from harmful substances / Oddy | AC Acetate |
| | | CA Hemp |
| Width (cm) | Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.) | CO Cotton |
| | | EA Elasthan |
| Can be railroaded (only valid for curtains) | ⇒ light transmission level Tv, n-h | GL Glass fibre |
| Has to be railroaded | light transmission level Tv. n-nn | LI Linen |
| | | MD Modal |
| Must not be railroaded | ⇒ k light transmission level Tv, n-dif | ME Metal |
| | | PA Polyamide |
| Repeat in warp direction | light reflection level Pv, n-h | PC Acrylic |
| | | PE Polyethylene |
| Repeat in weft direction | light absorption level Av | PI Paper |
| Weight (g/m2) | UV transmission level Tuv | PL Polyester |
| | | PLF Flameretardant polyester |
| Yarn dyed | solar transmission level Te, n-h | PLF CS Flameretardant polyester (Trevira CS) |
| | | PN Polycarbonat |
| Piece dyed | solar reflection level Pe, n-h | PP Polypropylene |
| | | PU Polyurethan |
| Knitted | solar absorption level Ae | RA Ramie |
| | | SE Silk |
| Woven | Usable in a bathroom/wet room (Plissee) | SI Silicone |
| | | TR Different material (wood, paper, feathers etc.) |
| Warp print | Stain resistant (Plissee) | VI Viscose |
| Screen print/burnout | Various articles are only available in complete picture repeats. The price is quoted per repeat in each case. | WM Wool Mohair |
| | | wv Wool |
| Metalized on one side | Additional product information | |
| Pearl reflex | | |

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

| Fabrics with very high lightfastness for indoor and outdoor | use |
|---|-----|
| Blackout BO | |
| Reverso | |
| Plisseé | |
| Comb plisseé | |
| | |